



**EURA MOBIL**

*Your  
Quality Time.*



# MOTORHOMES

2023/2024 season

Equipment and technical specifications



This PDF contains interactive elements. Please therefore note any messages that may appear in your browser or PDF viewer.



# ACTIVA ONE

## The family motorhome for special requirements.

Robust family motor home for premium demands with well thought-out room layout. Up to 6 seats and sleeping berths. Superb winter properties thanks to heated double floor and continuously insulated walls.



## Floor plans / Optional feature packages



### A ONE 570 HS

Total length:	5.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4


- + Compact length combined with spacious, bright rear seating area
- + Large storage area under the rear seating group
- + Exclusively from Eura Mobil: Belt anchorage of the seating group with aluminium profiles in the side wall
- + No storage space restriction due to belt frame
- + Combination washroom with swivel washbasin and integrated shower
- + Great spatial effect due to unobstructed, open view
- + Longitudinal kitchen with 142-litre refrigerator in single arrangement



### A ONE 630 LS

Total length:	6.44 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	5

- + Lots of space with a short length
- + Spacious side bench seat, 1.90 m
- + Bathroom with separate shower in the rear
- + Plenty of freedom of movement in the kitchen
- + Large storage area under the longitudinal bench
- + Large seating area for up to 7 people



### A ONE 650 HS

Total length:	6.50 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Exclusively from Eura Mobil: Single bed comfort in the coachbuilt at a manageable length of 6.50 m
- + Sliding door to the driver's cab
- + Single beds can be converted into double bed
- + Two large wardrobes under single beds
- + Spacious, bright rear seating area
- + Combination washroom with swivel washbasin and integrated shower
- + Kitchen with 142-litre refrigerator in single arrangement
- + Retractable TV pull-out at the seating group (optional)



### A ONE 690 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	6

- + Classic with two comfortable double beds
- + Huge garage
- + Large floor-to-ceiling wardrobe
- + Up to 6 belted seats
- + Combination washroom with swivel washbasin and integrated shower



### A ONE 690 VB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	4 (6)

- + The variable family layout
- + Extra seating group for little ones in the rear
- + Bunk beds in the rear, convertible into two double beds with pull-out slatted frames
- + Up to 6 fixed sleeping berths
- + Up to 6 belted seats
- + Large floor-to-ceiling wardrobe
- + Combination washroom with swivel washbasin and integrated shower

### Travel package

#### OPTIONAL FOR THE: ACTIVA ONE

Steering wheel controls	Heki skylight roof hood
Electric exterior mirrors	Manual dimming system for driver's cab
Captain's chair seats	Mesh door screen
Moniceiver (Xzent)	Pre-cabling for solar power system
Rear-view camera (single)	Radio preparation incl. DAB+
Electric parking brake	Painted bumper
Ambient lighting	
Service trap: garage door in addition (left) depending on floor plan	

### Fiat Driving assistance package

#### OPTIONAL FOR THE: ACTIVA ONE

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic dimming

### Travel plus package

#### OPTIONAL FOR THE: ACTIVA ONE

Steering wheel controls	Automatic air conditioning
Electric exterior mirrors	Leather steering wheel and gearshift knob
Captain's chair seats	16" aluminium rims
Electric parking brake	Inductive charging station
Ambient lighting	Carpet in the driver's cab
Service trap: garage door in addition (left) depending on floor plan	Multi-function exterior socket
Heki skylight roof hood	External shower (cold/warm)
Manual dimming system for driver's cab	External gas socket on passenger side
Mesh door screen	Insulated curtain
Pre-cabling for solar power system	Heat exchanger
Radio preparation incl. DAB+	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)
Naviceiver with double rear-view camera	Lithium battery

### Fiat driving assistance plus package

#### OPTIONAL FOR THE: ACTIVA ONE

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic dimming
Adaptive cruise control
Intelligent speed assistant
Fatigue assistant



## Feature highlights

- ▶ GRP bodywork uses bonding technology from aviation
- ▶ Floor-wall bonding technique using PU and aluminium profiles
- ▶ Up to 2,000 kg towing load
- ▶ Continuous double floor without steps in the living area
- ▶ Rot-resistant GRP body
- ▶ Wood-free walls with continuous insulation
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made

- of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Underfloor heating effect in the floor you walk on
- ▶ Lightweight-construction floor plate made from GRP
- ▶ Insulated and heated coachbuilt
- ▶ "Cellar storage space" for travel equipment in the double floor
- ▶ Robust aluminium panels
- ▶ Hail-protected walls and roof
- ▶ 37 cm high, continuous storage space in the length of the double floor

- ▶ Winter-proof according to EN 1646
- ▶ Isofix child seat attachment (except 570 HS and 650 HS)
- ▶ Water tanks protected in insulated and heated double floor
- ▶ 79 cm high, heated coachbuilt with folding floor
- ▶ Storage space in the double floor can be individually divided up at the dealership
- ▶ Electric access step
- ▶ Body door with window
- ▶ Bright and modern "Beach Home" interior with beach feeling

## Activa One / Standard features

S = Standard  
O = Optional  
P = Package contents  
- = Not possible

	ACTIVA ONE	ACTIVA ONE
<b>CHASSIS</b>		
140 HP motor, Euro 6d-Final	S	
CCS wide track low-slung frame (1,980 mm gauge)	S	
Cruise control	S	
Manual air conditioning	S	
ABS + ASR	S	
Driver / passenger airbag	S	
Fix & Go breakdown kit	S	
Daytime running light	S	
ESP including Traction+ and hill descent control	S	
16" wheels	S	
<b>SUPERSTRUCTURE</b>		
Superstructure winter-proof according to EN 1646	S	
Bodywork fully protected from hail with walls and roof made from GRP	S	
Lightweight construction double floor throughout, insulated and heated	S	
Storage space in the double floor GRP-coated (floor and walls)	S	
Lightweight construction floor plate made from GRP and additional aluminium profile reinforcement	S	
Wood-free GRP walls, insulated throughout	S	
Floor-wall joint without cold bridges	S	
Roof edge profile made from painted aluminium with joint sealing	S	
Coachbuilt edge profile made from GRP with joint sealing	S	
Sturdy chassis side skirts made from powder-painted aluminium	S	
Heated and insulated coachbuilt	S	
2 windows in the coachbuilt	S	
Fold-out coachbuilt floor	S	
Safety mesh in the coachbuilt	S	
Wall thickness of walls/roof/floor: 30/30/38 mm	S	
Extra-large garages thanks to 37 cm high double floor	S	
Electric access step	S	
Trumatic Combi 4 heating	S	
Seitz insulated window with mesh screen & blackout flush with the external wall	S	
Service flaps with double seal, insulated inlay and self-closing locks	S	
Single-key system for the entire superstructure	S	
Access door with window and waste bin	S	
Large tail lights in a modern design	S	
Mini Heki skylight over rear section	S	
Mini Heki skylight over front section	S	
Isofix, 2 x in the direction of travel (except AO 650 HS and AO 570 HS) in the seating group	S	
LED rear lights	S	
<b>LIVING SPACE</b>		
Two-tone furniture décor in wild oak and beach white	S	
Curtain to the driver's cab (depending on floor plan)	S	
Wall units with aluminium profile reinforcement	S	
Noise insulation for wall unit doors	S	
7-zone cold foam mattresses	S	
Flooring with footstep sound absorption	S	
Upholstered fabrics: Dara	S	
<b>KITCHEN</b>		
Refrigerator, 140 litres (AO630LS: 106L)	S	
3-ring hob with electric ignition, glass cover and large work surface	S	
Drawers with metal roller runners	S	
Deep wall units; divided, with slide guard	S	
Water tap with rotating non-drip outlet	S	

	ACTIVA ONE
<b>WASHROOM</b>	
Plenty of space to move around thanks to ergonomically optimised room division	S
Centre washrooms with integrated shower cubicle (570 HS, 650 HS, 690 HB, 690 VB)	S
Separate shower on AONE 630LS	S
Storage closet and mirror	S
Cassette WC with large roller-mounted tank	S
<b>WATER INSTALLATION</b>	
Fresh water system made from Hartflex plastic	S
143-litre fresh water tank insulated and heated inside* (150 litres on 570 and 650 HS)	S
2 quick-acting drain valves for fresh water in the heated and insulated double floor	S
150-litre waste water tank insulated and heated in the double floor	S
Fittings with ceramic cartridges	S
Siphons to prevent odours	S
<b>ELECTRICAL INSTALLATION</b>	
Electrical distributor panel easily accessible under the passenger seat	S
80 Ah gel battery	S
On-board control panel with separate displays for water, battery and charging voltage	S
LED reading spotlights with real glass	S
Light switch system with household logic system	S
Ceiling lights	S
Number of 230 V power sockets: 2	S
Number of 12 V power sockets: 1	S
21 A charger	S
USB ports: 1	S
Exterior lighting over body door	S

## Activa One / Technical specifications



BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue
<b>DIMENSIONS AND WEIGHTS</b>					
Double floor height	cm 37	37	37	37	37
Load volume in the double floor (double floor + rear storage space)	l 1700	1500	1700	3800	1700
Size of storage door at the rear	cm 65 x 55	85 x 41	85 x 105	82 x 105	85 x 115
Wheelbase	m 3.45	3.45	3.80	4.04	4.04
Tyres	225/75R16C	225/75R16C	225/75R16C	225/75R16C	225/75R16C
Total techn. perm. weight when laden	kg 3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg 2,910 // 2,950 (optional)	2,870 // 2,910 (optional)	2,990 // 3,030 (optional)	2,950 // 2,990 (optional)	3,040 // 3,080 (optional)
Trailer weight, braked <sup>2)</sup>	kg 2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	kg 5.99	6.44	6.50	6.99	6.99
Total width	m 2.32	2.32	2.32	2.32	2.32
Overall height	m 3.15	3.15	3.15	3.15	3.15
Interior width	m 2.17	2.17	2.17	2.17	2.17
Standing height	m 1.98	1.98	1.98	1.98	1.98
Coachbuilt height	m 78	78	78	78	78
Dimensions of front side seating group	cm -	190 x 100	-	190 x 100	190 x 100
Dimensions of rear bed	cm 200 x 140 (conversion of the seating group)	-	200 x 140 (conversion of the seating group)	140 x 200	200 x 70 (x2) / 200 x 130 (x2)
Dimensions of coachbuilt bed	cm 200 x 150	200 x 150	200 x 150 // 2 x 200 x 80	200 x 150	200 x 150
Dimensions of rear seating group/longitudinal seat bench	cm 200 x 140	190 x 60	200 x 140	-	2 x 60 x 50
Sleeping areas	4	5	4	6	6
Permissible number of people	4	4 (6) optional*	4	4 (6) optional*	4 (6) optional*
3-point seatbelts total	4	4 (6) optional*	4	4 (6) optional*	4 (6) optional*
Number of Isofix	-	2	-	2	2
Window with mesh grille	5	5	5	5	4
Number of service flaps	3 (4) optional	3 (4) optional	3 (4) optional	3 (4) optional	2 optional
Wall thickness of walls, roof, floor	mm 30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	mm 150 (25)*** / 150	143 (25)*** / 150	150 (25)*** / 150	143 (25)*** / 150	143 (25)*** / 150
Battery capacity	l 80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	Ah 142	106	142	142	142

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features <sup>2)</sup> Note the weight of the vehicle/trailer combination <sup>3)</sup> Not in conjunction with OE 6470 wardrobe instead of single seat\* only with belts facing away from the direction of travel \*\* Only with seat belts facing away from the direction of travel and 40 H chassis \*\*\* Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l \*\*\*\* Only in conjunction with 40 H chassis



Find an authorised  
Eura Mobil dealer near you!

# Activa One / Special features

	A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg
<b>PACKAGES – FEATURE PACKAGES</b>						
PTR16-24	AO570HS/AO650HS travel package	O	-	O	-	48.50
PTR17-24	AO630LS travel package	-	O	-	-	50.50
PTR18-24	AO690VB/AO690HB travel package	-	-	-	O	49.50
PTR19-24	AO570HS/AO650HS travel plus package (only in combination with travel package)	O	-	O	-	28.5
PTR20-24	AO630LS travel plus package (only in combination with travel package)	-	O	-	-	28.5
PTR21-24	AO690VB/AO690HB travel plus package (only in combination with travel package)	-	-	-	O	28.5
2878-24	Fiat Driving assistance package	O	O	O	O	1.00
2879-24	Fiat driving assistance plus package (only in combination with driving assistance package)	O	O	O	O	0.00
<b>CHASSIS OPTION – ENGINE</b>						
2112-24	180 HP Fiat motor (SC 140)	O	O	O	O	20.00
2116-24	180 HP Fiat motor	O	O	O	O	20.00
2160-24	140 HP Fiat motor	S	S	S	S	0.00
<b>CHASSIS OPTION – SUPERIMPOSED LOAD</b>						
2324-24	Increase of tot. mass to 3.65t	O	O	O	O	0.00
2330-24	Red of tot. mass to 3.5 t	O	O	O	O	0.00
2358-24	Reinforced front axle springs	O	O	O	O	0.00
3111-24	Heavy-duty	O	O	O	O	0.00
<b>CHASSIS OPTION – OTHER OPTIONS</b>						
2131-24	Automatic transmission Fiat	O	O	O	O	18.00
2311-24	Maxi chassis 4.25t	O	O	O	O	40.00
2313-24	Maxi chassis 4.4t	O	O	O	O	40.00
2351-24	Spare wheel (depending on floor plan)	O	O	O	O	45.00
2371-24	Fuel tank, 90 litre	O	O	O	O	13.50
<b>SUPERSTRUCTURE OPTION – EXTERIOR</b>						
2581-24	Superstructure door with central locking	O	O	O	O	1.50
5111-24	Rear comfort supports	O	O	O	O	8.00
5122-24	Trailer coupling	O	O	O	O	35.00
5412-24	Multi-function socket	O	O	O	O	2.00
5441-24	External shower (cold/warm)	-	O	O	O	1.00
5521-24	"Sunroof" panoramic glass roof	O	O	O	O	24.50
5534-24	Electric roof fan	O	O	O	O	5.50
5535-24	Tilting roof hood (Heki)	O	O	O	O	23.00
5550-24	2 additional service flaps	-	O	-	-	5.00
5576-24	Mesh screen for the body door	O	O	O	O	5.00
6651-24	Service flap at the rear	O	-	O	O	3.00
6656-24	Garage door service flap	-	-	-	O	4.00
<b>SUPERSTRUCTURE OPTION – INTERIOR</b>						
3613-24	All-round insulation in the driver cab	O	O	O	O	5.00
3661-24	Insulated dividing curtain to the driver cab	O	O	-	O	4.00
3680-24	Driver cab dimming system	O	O	O	O	7.00
6213-24	Rear mattress removed	-	-	-	O	0.00
6224-24	Additional bed for 2 people (conversion of seating group)	S	S	S	S	11.00
6321-24	Seatbelts + headrests opposite the direction of travel	-	O	-	O	30.00
6323-24	Safety belts and headrests in direction of travel at rear	S	-	S	-	30.00
6435-24	Table extension	-	O	-	O	3.50
7812-24	Background lighting	O	O	O	O	8.00

S = standard equipment O = optional equipment at extra charge  
P = optional package equipment – = not possible

	A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg
<b>SUPERSTRUCTURE OPTION – BIKE CARRIER</b>						
5146-24	Bike carrier extension kit 4-way	O	O	O	O	2.00
5147-24	Bike carrier for 2 bikes	O	O	O	O	13.00
5148-24	Lowerable E-bike carrier	-	-	-	O	16.00
<b>SUPERSTRUCTURE OPTION – AWNINGS</b>						
5242-24	3.5 m awning	O	-	-	-	28.00
5243-24	4 m awning	-	O	O	-	33.00
5244-24	4.5 m awning	-	-	-	O	36.00
<b>SUPERSTRUCTURE OPTION – HEATING</b>						
7220-24	Warm air heating	S	S	S	S	0.00
7224-24	Heat exchanger	O	O	O	O	5.00
7228-24	Combi 6 E heating	O	O	O	O	1.00
7510-24	Autonomous E-bike charger	O	O	O	O	3.00
<b>SUPERSTRUCTURE OPTION – KITCHEN</b>						
7230-24	Extractor hood	O	O	O	O	3.00
7238-24	Oven	O	O	O	O	15.00
7255-24	Large refrigerator	S	O	S	S	18.00
<b>SUPERSTRUCTURE OPTION – TECHNICAL SERVICES</b>						
7321-24	Lithium battery (1x)	O	O	O	O	-13.00
7324-24	Lithium battery (2x)	O	O	O	O	17.50
7327-24	2nd gel battery - 80 Ah	O	O	O	O	27.00
7341-24	Pre-cabling for solar power system	O	O	O	O	1.50
7512-24	External gas socket	O	O	O	O	1.00
7516-24	Dual-control CS with de-icer	O	O	O	O	1.00
<b>SUPERSTRUCTURE OPTION – FABRICS</b>						
6111-24	Driver cab seat in structured upholstered fabric	O	O	O	O	4.00
6113-24	"Milano" upholstery fabric	O	O	O	O	0.00
6132-24	"Dara" upholstery fabric	S	S	S	S	0.00
6139-24	"Genua" upholstery fabric	O	O	O	O	0.00
6192-24	"Maka" décor	S	S	S	S	0.00
6193-24	"Lasca" décor	O	O	O	O	0.00
6196-24	"Tisa" décor	O	O	O	O	0.00
6510-24	Decorative package	-	O	-	O	18.00
6511-24	Décor package for rear seating group	O	-	O	-	13.00
<b>SUPERSTRUCTURE OPTION – MULTIMEDIA</b>						
3215-24	Loudspeakers (2) in the superstructure	O	O	O	O	4.00
3237-24	Moniceiver with rear-view camera	O	O	O	O	1.00
3238-24	Naviceiver w. rear-view camera	O	O	O	O	1.00
3441-24	Flat screen wall bracket in rear area	O	-	O	-	1.20
3460-24	Flat screen pull-out in front area	-	O	-	O	4.00
<b>SUPERSTRUCTURE OPTION – OTHER OPTIONS</b>						
6273-24	Carpeted floor in the superstructure	O	O	O	O	8.00
<b>SUPERSTRUCTURE OPTION – FURNITURE DÉCOR</b>						
6471-24	"Beach Home" furniture décor	S	S	S	S	0.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.





# PROFILA T

New furniture architecture with "Chalet Rustico" interior design

## The elegant comfort tourer.

Modern low-profile model with lightweight technology, double floor and extensive features. Spacious room layout with stylish, high-quality interior. Manageable handling and excellent all-season characteristics.

## Feature highlights

- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ All layouts < 3.5 T mass in ready-to-drive condition
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ 140 HP motor, Euro 6d-Final
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans except 660 EB)
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ LED exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Combi 6 heating starting with 720 EB, 720 EF
- ▶ Alde hot water heating for models from 7.50m length
- ▶ Passenger airbag
- ▶ Traction+ with hill descent control
- ▶ Manual air conditioning system in the driver's cab



## Profila T / Floor plans



NEW

PT 660 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Two 2m long comfort single beds
- + Extra-large rear garage with large loading volume
- + Comfortable L-shaped seating group with side bench seat
- + Screen pull-out at the seating group (optional)
- + Washroom with integrated shower and swivel washbasin
- + Longitudinal kitchen with extra-wide pull-outs and 142-litre refrigerator



NEW

PT 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



NEW

PT 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 143-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



NEW

PT 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



NEW

PT 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



NEW

PT 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



NEW

PT 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom separated from the living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top

## Profila T / Feature packages

### Optional feature packages

#### Mondial package

##### OPTIONAL FOR THE: PROFILA T

Bumpers painted in the vehicle colour	Roof - "Sun Roof" panoramic glass roof insulated
Steering wheel controls	Electric roof fan
Electric exterior mirrors	Heki skylight roof hood
Captain's chair seats	Manual dimming system for driver's cab
Moniceiver (Xzent)	Mesh door screen
Rear-view camera (single)	Pre-cabling for solar power system
Electric parking brake	Radio preparation incl. DAB+
Radiator grille in piano black	
Body door with 2-point locking and central locking system	

#### Mondial Plus package

##### OPTIONAL FOR THE: PROFILA T

Bumpers painted in the vehicle colour	Twin-eye rear-view camera
Steering wheel controls	Automatic air conditioning
Electric exterior mirrors	Leather steering wheel and gearshift knob
Captain's chair seats	16" aluminium rims
Moniceiver (Xzent)	Inductive charging station
Rear-view camera (single)	Carpet in the driver's cab
Electric parking brake	Multi-function exterior socket
Radiator grille in piano black	External shower (cold/warm)
Body door with 2-point locking and central locking system	External gas socket on passenger side
Roof - "Sun Roof" panoramic glass roof insulated	Insulated curtain
Electric roof fan	Heat exchanger
Heki skylight roof hood	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6) for PT 675/695
Manual dimming system for driver's cab	Exclusive rear design
Mesh door screen	Lithium battery
Pre-cabling for solar power system	
Radio preparation incl. DAB+	
Navigation system	

#### Driving assistance package

##### OPTIONAL FOR THE: PROFILA T

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic dimming

#### Driving assistance plus package

##### OPTIONAL FOR THE: PROFILA T

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic dimming
Adaptive cruise control
Intelligent speed assistant
Fatigue assistant



# Profila T / Technical specifications



PT 660 EB



PT 675 SB



PT 695 EB



PT 720 EB



PT 720 EF



PT 720 QF



PT 730 EF

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

## DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11	11	11	37
Load capacity in the rear storage area	l	2700	1500	2700	3000	3000	1500
Size of storage door at the rear	cm	85 x 115	85x70	85x115	80x115	80x115	85 x 55
Wheelbase	m	4.04	4.04	4.04	4.04	4.04	4.04
Tyres		225/75R16C	225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C	225/75R16C
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	2,950 // 2,990 (optional)	2,930 // 2,970 (optional)	2,940 // 2,980 (optional)	3,060 // 3,100 (optional)	3,110 // 3,150 (optional)	3,170 // 3,210 (optional)
Weight in ready-to-drive state Mondial <sup>1)</sup>	kg	3,020 // 3,060 (optional)	3,000 // 3,040 (optional)	3,010 // 3,500 (optional)	3,130 // 3,170 (optional)	3,180 // 3,220 (optional)	3,240 // 3,280 (optional)
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99	7.41	7.41	7.57
Total width	m	2.32	2.32	2.32	2.32	2.32	2.32
Total height incl. Heki	m	2.86	2.86	2.86	2.86	2.86	2.86
Interior width	m	2.17	2.17	2.17	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105	115 x 105	99 x 60	99 x 60
Bed conversion of the seating group <sup>3)</sup>	cm	200 x 115	200 x 124	200 x 115	200 x 115	200 x 100	200 x 100
Dimensions of rear bed	cm	195 x 80, 195 x 80	195 x 137	190 x 80, 185 x 80	2 x 203 x 84	2 x 203 x 83	190 x 147
Dimension of longitudinal bench	cm	50 x 65	110 x 65	55 x 65	55 x 65	99 x 60	99 x 60
Sleeping areas		2/4 (optional)	2/4 (optional)	2/4 (optional)	2/4 (optional)	2/4 (optional)	2/4 (optional)
Permissible number of people <sup>4)</sup>		4	4	4 (5) optional	4 (5) optional	4	4
Permissible number of people Mondial <sup>4)</sup>		4	4	4 (5) optional	4 (5) optional	3 (4) optional	3 (4) optional
3-point seatbelts total		4	4	4	4	4	4
Number of Isofix		1	1	1	1	2	2
Framed window with mesh screen		4	4	4	4	4	4
Number of service flaps		2	2	2	2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* /100	140 (25)* /100	140 (25)* /100	140 (25)* /100	138 (25)* /100	138 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	140	142	142	142	142

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features <sup>2)</sup> Note the weight of the vehicle/trailer combination <sup>3)</sup> Not in conjunction with OE 6470 wardrobe instead of single seat\* only with belts facing away from the direction of travel \*\* Only with seat belts facing away from the direction of travel and 40 H chassis \*\*\* Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l \*\*\*\* Only in conjunction with 40 H chassis

# PROFILA T

**Eura Mobil**  
Sealed Structure



Find an authorised  
Eura Mobil dealer near you!



New furniture architecture with "Chalet Rustico" interior design

# PROFILA RS

## For relaxed travel.

The Profila with lift-up bed hidden flush with the ceiling. During the day, full standing height is maintained under the bed. The bed, which can be electrically operated on demand, lies protected in an elegant and stable GRP roof cassette.

## Feature highlights

- ▶ Lift-up bed flush with ceiling with storage compartments in stable GRP roof cassette
- ▶ Bed size (lift-up bed) 190x143cm
- ▶ Also wall units under the lift-up bed in one visual line
- ▶ Full standing height of 198 cm under the lift-up bed
- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ All layouts < 3.5 T mass in ready-to-drive condition
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ With electrically controlled lift-up bed on request
- ▶ 140 HP motor, Euro 6d-Final
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- ▶ Illuminated entrance with storage facilities
- ▶ Kitchen base unit with pull-outs instead of doors
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Winter-proof acc. to EN 1646-1 in conjunction w. all-round insulation (3613)
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ Exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Combi 6 heating starting with 720 EB, 720 EF
- ▶ Alde hot water heating for models from 7.50m length
- ▶ Passenger airbag
- ▶ Manual air conditioning system in the driver's cab
- ▶ Traction+ with hill descent control



PRO

3,5t

FILEAS



## Profila RS / Floor plans



NEW

### PRS 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



NEW

### PRS 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



NEW

### PRS 695 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Double bed in the rear with comfortable side entry into the rear bed
- + Large rear garage
- + Washroom with integrated shower and swivel washbasin
- + Floor-to-ceiling wardrobe
- + Ergonomic corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side



NEW

### PRS 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



NEW

### PRS 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement



NEW

### PRS 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



NEW

### PRS 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	2 (4) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom separated from the living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top

## Profila RS / Feature packages

### Optional feature packages

#### PRS Mondial package

##### OPTIONAL FOR THE: PROFILA RS

Bumpers painted in the vehicle colour	Roof - "Sun Roof" panoramic glass roof insulated
Steering wheel controls	Electric roof fan
Electric exterior mirrors	Manual dimming system for driver's cab
Captain's chair seats	Mesh door screen
Moniceiver (Xzent)	Pre-cabling for solar power system
Rear-view camera (single)	Radio preparation incl. DAB+
Electric parking brake	
Radiator grille in piano black	
Body door with 2-point locking and central locking system	

#### PRS Mondial Plus package

##### OPTIONAL FOR THE: PROFILA RS

Bumpers painted in the vehicle colour	Automatic air conditioning
Steering wheel controls	Leather steering wheel and gearshift knob
Electric exterior mirrors	16" aluminium rims
Captain's chair seats	Inductive charging station
Moniceiver (Xzent)	Carpet in the driver's cab
Rear-view camera (single)	Multi-function exterior socket
Electric parking brake	External shower (cold/warm)
Radiator grille in piano black	External gas socket on passenger side
Body door with 2-point locking and central locking system	Insulated curtain
Roof - "Sun Roof" panoramic glass roof insulated	Heat exchanger
Electric roof fan	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6) for PRS 660-695
Manual dimming system for driver's cab	Exclusive rear design
Mesh door screen	Lithium battery
Pre-cabling for solar power system	
Radio preparation incl. DAB+	
Naviceiver with twin-eye rear-view camera	

#### Driving assistance package

##### OPTIONAL FOR THE: PROFILA RS

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic dimming

#### Driving assistance plus package

##### OPTIONAL FOR THE: PROFILA RS

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic dimming
Adaptive cruise control
Intelligent speed assistant
Fatigue assistant

# Profila RS / Technical specifications



**PRS 675 SB**



**PRS 695 EB**



**PRS 695 HB**



**PRS 720 EB**



**PRS 720 EF**



**PRS 720 QF**



**PRS 730 EF**

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

## DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11	11	11	11
Load capacity in the rear storage area	l	1500	2700	2700	3000	3000	1500
Size of storage door at the rear	cm	85 x 70	85 x 115	85 x 115	80 x 115	80 x 115	85 x 55
Wheelbase	m	4.04	4.04	4.04	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16CP	225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	3,050 // 3,090 (optional)	3,020 // 3,060 (optional)	3,050 // 3,090 (optional)	3,160 // 3,200 (optional)	3,220 // 3,260 (optional)	3,280 // 3,320 (optional)
Weight in ready-to-drive state Mondial <sup>1)</sup>		3,097 // 3,137 (optional)	3,067 // 3,107 (optional)	3,097 // 3,137 (optional)	3,207 // 3,247 (optional)	3,267 // 3,307 (optional)	3,327 // 3,367 (optional)
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99	7.41	7.41	7.57
Total width	m	2.32	2.32	2.32	2.32	2.32	2.32
Overall height	m	3.00	3.00	3.00	3.00	3.00	3.00
Interior width	m	2.17	2.17	2.17	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105	115 x 105	99 x 60	99 x 60
Bed conversion of the seating group <sup>3)</sup>	cm	200 x 124	200 x 115	200 x 115	200 x 115	200 x 100	200 x 100
Dimensions of rear bed	cm	195 x 137	190 x 80, 185 x 80	217 / 190 x 150	203 x 84, 203 x 84	2 x 203 x 83	190 x 150
Dimensions of lift-up bed	cm	193 x 140	193 x 140	193 x 140	193 x 140	193 x 140	193 x 140
Dimension of longitudinal bench	cm	110 x 65	55 x 65	55 x 65	55 x 65	99 x 60	99 x 60
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional	2/4 (optional)
Permissible number of people <sup>4)</sup>		4	4 (5) optional	4 (5) optional	4 (5) optional	3 (4) optional	3 (4) optional
Permissible number of people Mondial <sup>4)</sup>		4	4 (5) optional	4 (5) optional	3 (4) (5) optional	3 (4) optional	2 (3) (4) optional
3-point seatbelts total		4	4	4	4	4	4
Number of Isofix		1	1	1	1	2	2
Framed window with mesh screen		4	4	4	4	4	4
Number of service flaps		2	2	2	2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* /100	140 (25)* /100	140 (25)* /100	140 (25)* /100	138 (25)* /100	138 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	140	142	142	142	142	142

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | <sup>2)</sup> Note the weight of the vehicle/trailer combination | <sup>3)</sup> Not in combination with 6430 table with chrome-plated table base | <sup>4)</sup> Numbers in brackets only in combination with 2324\* superimposed load to 3.65 t\* or 2313 Maxi chassis (number in second bracket) | \* Water quantity in drive position 25 l.  
If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l.



**Find an authorised  
Eura Mobil dealer near you!**

**Eura Mobil  
Sealed Structure**



**More information**

Click here for more information on floor plans, upholstery, interiors and more.







New furniture architecture in "Chalet Rustico" or "Natural Heritage" interior design

# PROFILA T MERCEDES

## A true delight.

The new Profila T on the Mercedes Sprinter promises holiday enjoyment in its purest form. With great attention to detail, we have now brought our best-selling series to the highest level of perfection in the exclusive combination with the Mercedes Sprinter chassis.

## Feature highlights

**NEW:** Now also available with lift-up bed

- ▶ Mercedes Sprinter 415 CDI
- ▶ ALDE hot water heating
- ▶ AL-KO low frame
- ▶ 19.5cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ "Sun Roof" panoramic roof window, insulated and adjustable (optional)
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Natural Heritage" or "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ Exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Passenger airbag



# MERCEDES



## Profila T Mercedes / Floor plans



NEW

### PT 696 EB

Total length:	7.12 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- + Bathroom with shower and swivel washbasin



NEW

### PT 726 EB

Total length:	7.54 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfortable L-shaped bench seat with a single seat on the passenger side
- + Comfortable kitchen with a large refrigerator that can be installed individually
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



NEW

### PT 726 EF

Total length:	7.44 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



NEW

### PT 726 QF

Total length:	7.61 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



## Profila T Mercedes / Feature packages

### Optional feature packages

#### Mondial package

##### OPTIONAL FOR THE: PROFILA T MERCEDES

Electric external mirrors (MB)	Body door with 2-point locking and central locking system
Captain's chair seats (Aguti)	Roof - "Sun Roof" panoramic adjustable plastic roof
Moniceiver (Xzent)	Electric roof fan
Rear-view camera (single)	Heki skylight roof hood
Electric parking brake	Manual dimming system for driver's cab
Driver's cab air conditioning system	Mesh door screen
Cruise control	Pre-cabing for solar power system
Heat-insulating glass with band filter	
Uni black paintwork	

#### Mondial Plus package

##### OPTIONAL FOR THE: PROFILA T MERCEDES

Electric external mirrors (MB)	Climatronic automatic air conditioning
Captain's chair seats (Aguti)	Leather steering wheel
Moniceiver (Xzent)	16" aluminium rims(MB)
Rear-view camera (single)	Carpet in the driver's cab
Electric parking brake	Multi-function exterior socket
Driver's cab air conditioning system	External shower (cold/warm)
Cruise control	External gas socket on passenger side
Heat-insulating glass with band filter	Insulated curtain
Uni black paintwork	Exclusive rear design
Body door with 2-point locking and central locking system	Lithium battery
Roof - "Sun Roof" panoramic adjustable plastic roof	Storage compartment under cockpit
Electric roof fan	Acoustic package
Heki skylight roof hood	9G-Tronic automatic transmission Mercedes-Benz
Manual dimming system for driver's cab	170 HP engine (surcharge compared to 150 HP)
Mesh door screen	
Pre-cabing for solar power system	
Navigation system	
Twin-eye rear-view camera	

#### Mondial package "S"

##### OPTIONAL FOR THE: PROFILA T MERCEDES

<b>Profila T MERCEDES Mondial package</b>
<b>Profila T MERCEDES Mondial Plus package</b>
MBUX 10" naviceiver w. twin-eye rear-view camera
92-litre tank
4 m mechanical canopy
Bumpers & attachment parts in vehicle colour
17" aluminium rims
Chrome-plated radiator grille
Dashboard charging package
Storage for smartphones incl. wireless charger
Traffic sign assistant
DISTRONIC active distance assistant
Exterior paintwork obsidian black
Truma DuoControl with remote display, de-icer and crash sensor

#### Mercedes Driving Assistance package

##### OPTIONAL FOR THE: PROFILA T MERCEDES

Active lane departure assistant
High beam assistant
Fog light
LED high performance headlights



## Profila T Mercedes / Technical specifications



PT 696 EB

PT 726 EB

PT 726 EF

PT 726 QF

BASIC VEHICLE	MB Sprinter 415 CDI	MB Sprinter 415 CDI	MB Sprinter 415 CDI	MB Sprinter 415 CDI
Engine model, Euro 6d Final	110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)
Engine models (optional)	125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)
Chassis	AL-KO chassis	AL-KO chassis	AL-KO chassis	AL-KO chassis
Fuel tank	l 65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue

### DIMENSIONS AND WEIGHTS

Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	2700	3000	3000	1500
Size of storage door at the rear	cm	85 x 115 / 85 x 95	80x115	80x115	80 x 115
Wheelbase	m	4.11	4.15	4.15	4.15
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	3010	3105	3125	3155
Weight in ready-to-drive state Mondial Edition <sup>1)</sup>	kg	3060	3165	3185	3205
Trailer weight, braked <sup>2)</sup>	kg	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000
Total length	m	7.12	7.54	7.44	7.61
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	85 x 60	85 x 60
Bed conversion of the seating group	cm	200 x 115	200 x 115	200 x 85	200 x 85
Dimensions of rear bed(s)	cm	190 x 80 / 185 x 80	2 x 203 x 83	2 x 203 x 83	190 x 147
Dimension of longitudinal bench	cm	75 x 65	85 x 65	85 x 60	85 x 60
Sleeping areas		2 (4)	2/4 (optional)	2/4 (optional)	2/4 (optional)
Permissible number of people <sup>4)</sup>		4	4	4	3(4)
Permissible number of people Mondial <sup>4)</sup>		4	3(4)	3(4)	3(4)
3-point seatbelts total		4	4	4	4
Framed window with mesh screen		3	4	4	4
Number of service flaps		2	2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	138 (25)* / 100	138 (25)* / 100	138 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	142	142

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | <sup>2)</sup> Note the weight of the vehicle/trailer combination | <sup>3)</sup> Not in combination with 6430 table with chrome table base | <sup>4)</sup> Numbers in brackets only in combination with 2324\* superimposed load to 3.65t\* or 2313 Maxi chassis (number in second bracket) | \* Water quantity in drive position 25l. If there is sufficient remaining load, the water tank indicated as having a capacity of 25l can be filled to its actual capacity of 140l.



Find an authorised  
Eura Mobil dealer near you!

**Eura Mobil**  
Sealed Structure

## All-inclusive

**Quality and progress are hugely important at Eura Mobil.** Whether it be the generous storage space, protection from the weather thanks to the GRP chassis, stability during winter and comfortable under-floor heating thanks to heated double floors, insurance benefits or generous warranties – we've thought of everything you could need to make your holiday worry-free.

### Sealed Structure



The Eura Mobil principle of seal-vouched quality: a fully protected structure is built from a fully bonded, seamlessly sealed chassis with corrosion-resistant materials in the floor plate, walls and roof.



### Withstands winter



To make the feel-good experience on trips and holiday independence perfect, all Eura Mobil motorhomes offer winter-proof on-board technology that is installed in a space-saving manner in the end-to-end double floor construction.




### Lightweight construction



The lightweight architecture makes Eura Mobil motorhomes the especially lightweight representatives of their class. GRP components offer the best long-term quality at a particularly low weight.



### Furniture construction



Did you know? The furniture of a large A-class model alone comprises almost 1,000 parts. This complex task calls for the furniture of our motorhomes to be designed using state-of-the-art CAD workstations.




### Double floor



To offer you every kind of freedom, all Eura Mobil motorhomes are suitable for use all year round and specially equipped for the "great escape".



### Sleeping comfort



The comfortable beds and mattresses in your Eura Mobil are the product of our careful development work and your personal choice.




### Kitchens



With the exclusive kitchens from Eura Mobil, you can also free yourself from the rigours of set mealtimes: Why not have breakfast on the beach again, or perhaps enjoy lunch in the mountains ...



### Wellness



When days are full of adventure, new discoveries and new experiences, evenings are ideal for retreating into an oasis of calm in your motorhome. For relaxation and recuperation, for refreshment and enjoyment







# CONTURA

**Welcome to the starry side of life.**

Luxury low-profile model with sophisticated interior and exclusive features. Available on Mercedes Sprinter with extensive comfort and safety assistance systems.

## Feature highlights

- ▶ Mercedes Sprinter 315 CDI
- ▶ Starlight Dome panoramic glass roof with smart-lift and soft-close function (optional)
- ▶ 19.5cm high heated double floor
- ▶ Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- ▶ Single-piece GRP rear wall, shaped three-dimensionally
- ▶ Directional LED running light indicators at the rear
- ▶ LED tail lights
- ▶ AL-KO low-frame chassis with up to 4.5 t perm. total weight
- ▶ ALDE hot water heating
- ▶ Lounge sofa with back cushions and seat box cover
- ▶ 177-litre refrigerator with 35-litre freezer compartment
- ▶ Kitchen with two-part chopping board as sink cover
- ▶ Spring arm fitting or retractable water tap
- ▶ Fresh and waste water tank frost-protected in heated double floor
- ▶ Drainage valves, insulated and heated in the central service compartment
- ▶ Electrically controlled waste water tank drainage
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Front-wheel drive
- ▶ 150 HP motor
- ▶ More headroom in the driver's cab thanks to specially shaped roof cut-out
- ▶ Extensive and voice-controlled assistance systems (MBUX) Safety systems possible as an option
- ▶ Noise-insulated window roller blinds
- ▶ Dimmable ambient lighting
- ▶ Illuminated entrance with storage facilities
- ▶ Kitchen base unit with pull-outs instead of doors
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ Headboard with ambient lighting



# CON



## Contura / Floor plans / Technical specifications



### C 766 EB

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	2 (4)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



### C 766 EF

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable tap and foldable worktop extension

### C 766 EB

BASIC VEHICLE	MB Sprinter 415 CDI	MB Sprinter 415 CDI
Engine model, Euro 6d Final	103 kW (150 HP)	103 kW (150 HP)
Engine models (optional)	125 kW (170 HP)	125 kW (170 HP)
Chassis	AL-KO chassis	AL-KO chassis
Fuel tank	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue

### C 766 EF

### DIMENSIONS AND WEIGHTS

		C 766 EB	C 766 EF
Double floor height	cm	19.5	19.5
Load capacity in the rear storage area	l	3000	3000
Size of storage door at the rear	cm	2 x 85 x 115	2 x 85 x 115
Wheelbase	m	4.45	4.45
Tyres		225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4500	4500
Weight in ready-to-drive state <sup>1)</sup>	kg	3430	3420
Weight in ready-to-drive state Luminary Edition <sup>1)</sup>	kg	3595	3585
Trailer weight, braked <sup>2)</sup>	kg	2000	2000
Total length	m	7.84	7.84
Total width	m	2.32	2.32
Overall height	m	2.92	2.92
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	100 x 65
Bed conversion of the seating group	cm	100 x 190	90 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 80 / 200 x 80
Dimension of longitudinal bench	cm	62 x 65	100 x 65
Sleeping areas		2 (4)	2 (4)
Permissible number of people		4	4
3-point seatbelts total		4	4
Number of Isofix		-	2
Framed window with mesh screen		3	3
Number of service flaps		4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	138 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	l	177	177

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features <sup>2)</sup> Note the weight of the vehicle/trailer combination <sup>3)</sup> Not in combination with 6430 table with chrome-plated table base <sup>4)</sup> Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | \* Water quantity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l.

## Contura / Feature packages

### Optional feature packages

#### Luminary package

##### OPTIONAL FOR THE: CONTURA

Bumpers & attachment parts in vehicle colour	Leather steering wheel
Electric exterior mirrors	Inductive charging station
17" aluminium rims	Traffic sign assistant
Driver's cab comfort seats (Contura)	DISTRONIC active distance assistant
MBUX 10" naviceiver w. twin-eye rear-view camera	Exterior paintwork obsidian black
Electric parking brake	Body door with 2-point locking and central locking system
Chrome-plated radiator grille	Starlight dome
9G-Tronic automatic transmission Mercedes-Benz	Electric roof fan
170 HP engine (surcharge compared to 150 HP)	Manual dimming system for driver's cab
92-litre tank	Mesh door screen
Heat-insulating glass with band filter	Pre-cabling for solar power system
Carbon exterior design	Extractor hood
Storage compartment under cockpit	
Acoustic package	
Climatronic automatic air conditioning	
Dashboard charging package	

#### Luminary Plus package

##### OPTIONAL FOR THE: CONTURA

Bumpers & attachment parts in vehicle colour	DISTRONIC active distance assistant
Electric exterior mirrors	Exterior paintwork obsidian black
17" aluminium rims	Body door with 2-point locking and central locking system
Driver's cab comfort seats (Contura)	Starlight dome
MBUX 10" naviceiver w. twin-eye rear-view camera	Electric roof fan
Electric parking brake	Manual dimming system for driver's cab
Chrome-plated radiator grille	Mesh door screen
9G-Tronic automatic transmission Mercedes-Benz	Pre-cabling for solar power system
170 HP engine (surcharge compared to 150 HP)	Extractor hood
92-litre tank	Carpet in the driver's cab
Heat-insulating glass with band filter	Multi-function exterior socket
Carbon exterior design	External shower (cold/warm)
Storage compartment under cockpit	External gas socket on passenger side
Acoustic package	Insulated curtain
Climatronic automatic air conditioning	Lithium battery
Dashboard charging package	Truma DuoControl with remote display, de-icer and crash sensor
Leather steering wheel	
Inductive charging station	
Traffic sign assistant	

#### Driving assistance package

##### OPTIONAL FOR THE: CONTURA

Active lane departure assistant
High beam assistant
Tyre air pressure sensors
Fog light
LED high performance headlights

# Low-profile / Standard features

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA		PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
<b>CHASSIS</b>									
140 HP motor, Euro 6d-Final	S	S	-	-	Electric access step	-	-	S	S
150 HP motor, Euro 6E	-	-	S	S	Trumatic Combi 4 heating, Combi 6 from PT/PRS 720 EB	S/-	S/-	-	-
CCS wide track low-slung frame (1,980 mm gauge)	S	S	-	-	Alde hot water heating for models from 7.50m length	S/-	S/-	S	S
ALKO low-slung frame chassis	-	-	S	S	Seitz framed window with mesh screen flush with the external wall	S	S	S	S
ABS	S	S	S	S	Service flaps with double seal, insulated inlay and rotary-knob locks	S	S	S	S
Manual air conditioning	S	S	O	O	Single key for entire superstructure	S	S	S	S
Frame extension	S	S	S	S	Noise insulation for wall unit doors	S	S	S	S
Driver / passenger airbag	S	S	S	S	Large LED rear lights in Integra design	S	S	S	-
Electric window risers, driver's cab central locking system	S	S	S	S	Big LED rear lights with running light indicators	-	-	-	S
Fix & Go breakdown kit	S	S	S	S	Fully moulded rear made of GRP	-	-	-	S
Daytime running light	S	S	S	S	Diffuser elements in black gel coat integrated into single-piece rear section	-	-	-	S
16" wheels	S	S	S	S	Additional, lowered side and floor storage compartments (depending on floor plan)	-	-	S	S
ESP including Traction+ and hill descent control	S	S	-	-	Compartment shelves in the upper floor with access from the interior	S	S	S	-
ASR, EBD and ESP	-	-	S	S	Exterior lighting over the body door	S	S	S	S
<b>DRIVER'S CAB</b>									
GRP hood, insulated, with large storage compartments	S	S	S	S	Extra-wide access door with window and waste bin	S	S	S	S
Stylish fenders, wide designs	S	S	S	S	Roof compartment for ceiling-flush lift-up bed	-	S	-	-
Driver cab seat in structured upholstered fabric	S	S	S	S	Lightweight upper floor	S	S	S	S
Storage closets in the driver's cab, visually integrated into the living room	-	-	-	S	Double-moulded GRP sandwich roof	S	S	S	S
Curved roof with elegant transition to the superstructure	-	S	-	-	Garage lowering system with insulated well	S	S	S	S
GRP roof compartment with integrated lift-up bed	-	S	-	-	<b>LIVING SPACE</b>				
<b>SUPERSTRUCTURE</b>									
Lightweight construction double floor throughout, insulated and heated	S	S	S	S	"Chalet Rustico" interior	S	S	S	-
Aluminium profile without cold bridges for floor-wall joint	S	S	S	S	"Natural Heritage" interior	-	-	O	-
Floor hatches with folding handle	S	S	S	S	"Navarra" interior	-	-	-	S
Lightweight construction floor plate with aluminium inlay	S	S	S	S	Upholstered fabric: Como or Dara	S	S	S	S
Wood-free GRP walls	S	S	S	S	Spacious sofa with longitudinal seat on passenger side	S	S	S	S
GRP double floor	S	S	S	S	Table with 360° turning and sliding fixture	S	S	S	S
PVC floor covering with footstep sound insulation	S	S	S	S	Two-tone furniture décor	S	S	S	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S	S	S	Wall unit doors with solid spring closures	S	S	S	S
Mini Heki skylight roof hood over front section	S	S	S	S	Wall units with aluminium profile reinforcement	-	-	-	S
Sturdy chassis side skirts made from powder-coated aluminium	S	S	S	S	Wall units with high-gloss coating and chrome appliqué	-	-	-	S
Roof, wall, flooring made from GRP, fully insulated	S	S	S	S	Wall units with storage compartments, indirect illumination and rear ventilation	-	-	-	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S	S	S	Entrance area with illuminated handle and handy storage compartments	S	S	S	S
Isofix, 2 x in driving direction	S (EF/QF models only)	S (EF/QF models only)	S (EF/QF models only)	S (EF models only)	Rear storage spaces with anchor bars, straps and storage boxes	-	-	-	S
Isofix, 1 x in driving direction	S (675 SB, 695 EB, 720 EB)	S (675 SB, 695 EB, 720 EB)	S (726 EB, 696 EB)	EB, QB only	7-zone cold foam mattresses	S	S	S	S
Integrated double access step, insulated	S	S	-	-	Background lighting	S	S	S	S
Anti-slip surface on garage floor	S	S	S	S	Living space with decorative elements	S	S	S	S
					Mechanical lift-up bed, integrated into the ceiling	-	S	S	-
					Mini Heki skylight over rear bed	S	S	S	S

S = Standard O = Optional  
P = Package contents - = Not possible

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA		PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
Mini Heki skylight over lift-up bed	-	S	-	-	<b>WATER INSTALLATION</b>				
Lounge sofa with back cushions and seat box cover	-	-	-	S	Fresh water system made from Hartflex plastic	S	S	S	S
High-quality multi-zone upholstery for living room seats	-	-	-	S	Fixed pipe system for waste water	S	S	S	S
Bed headboard with chrome appliqués and ambient lighting	-	-	-	S	140 l insulated and heated fresh water tank in the double floor*	S	S	-	-
<b>KITCHEN</b>									
Flow-Line design kitchen with ergonomically shaped worktop	-	-	-	S	Insulated and heated 138 l or 140 l fresh water tank and 100 l waste water tank in the double floor *	-	-	S	S
Flowing transition from the kitchen front to the sofa on models with corner kitchen	S	S	S	S	Central service compartment with access to the water drainage taps	S (EF only)	S (EF only)	S (EF only)	S
Curved kitchen front	-	-	-	S	100 l waste water tank in insulated and heated floor trough	S	S	-	-
140 l to 160 l refrigerator (depending on floor plan)	S	S	S	S	Electrically operated waste water tank emptying at the push of a button	S	S	S	S
Hob with electric ignition, glass cover and large work surface, number of burners	2	2	2	3	Fittings with ceramic cartridges	S	S	S	S
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S	S	S	S	Siphons to prevent odours	S	S	S	S
Divided deep wall units with slide guards	S	S	S	S	Pressurised water pump	S	S	S	S
Colour-accentuated wall units	S	S	S	S	2 drainage valves for fresh water system	S	S	S	S
Extra-wide drawer	S	S	S	S	Drain valves insulated and heated	S	S	S	S
Chrome-plated tap	-	-	-	S	<b>ELECTRICAL INSTALLATION</b>				
Water tap with rotating non-drip outlet (LF/EF/QF models with retractable water tap)	S	S	S	S	Electrical distributor panel easily accessible under the passenger seat (730 EF under rear bed)	S	S	-	-
Worktop with indirect illumination for pull-outs	-	-	-	S	80 Ah gel battery	S	S	S	S
Mineral sink with two-part chopping board as sink cover	-	-	-	S	On-board control panel with separate displays for water, battery and charging voltage	S	S	S	S
Door with reed grass inlay (depending on floor plan)	-	-	-	S	LED reading spotlights	S	-	S	S
<b>WASHROOM</b>									
Centre washroom w. integr. shower room (660 EB, 696 EB)	S	S	S	-	Light switch system with household logic system	S	S	S	S
Rear washroom with integrated shower cubicle (675 SB)	S	S	-	-	Ceiling lights with double function light and/or LED ambience	S	S	S	-
Rear washroom with separate shower (730 EF, 695 LF)	S	S	S	-	Number of 230 V power sockets: 3	S	S	S	S
Separate shower (720, 730, 726, 766)	S	S	S	S	Number of 12 V power sockets: 1	S	S	S	S
Storage closet and mirror	S	S	S	S	Number of USB ports: 3	S	S	S	S
Large roller-mounted tank for cassette WC	S	S	S	S	21 A charger	S	S	S	S
230 V power socket	S	S	S	S	LED ambient lighting, dimmable and programmable	-	-	-	S
Bench toilet with folding wooden bench (depending on floor plan)	S	S	S	S	LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	-	-	S
Bathroom with separate shower (C 766 EB/EF/QB, PT/PRS 720 EB/EF/QF, PRS 695 LF, 726 EB/EF, QF)	S	S	S	S					
Shower wall in slate look, with wall heating and reed grass inlay (C 766 EB/EF/QB, PT/PRS 720 EB/EF)	S	S	S	S					
Washbasin made from mineral material	-	-	-	S					

\* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l



# Low-profile / Special features

S = standard equipment  
P = optional package equipment

O = optional equipment at extra charge  
- = not possible

	PROFILAT												PROFILAS												PROFILA MERCEDES		CONTURA MERCEDES		Weight in kg																
	PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF																									
<b>PACKAGES – FEATURE PACKAGES</b>																																													
PLU42-24	Contura Luminary package																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	165.00		
PSM76-24	Profila T Fiat Mondial package																						O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70.00	
PSM77-24	Profila T Mercedes-Benz Mondial package																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	50.00	
PSM78-24	Profila RS Mondial package																						-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	47.00	
PSM80-24	PT Truma Mondial Plus package (only in combination with Mondial package)																						O	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.00	
PSM81-24	Profila T Alde Mondial Plus package (only in combination with Mondial package)																						-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.00	
PSM82-24	Profila RS Truma Mondial Plus package (only in combination with Mondial package)																						-	-	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-	29.00	
PSM83-24	Profila RS Alde Mondial Plus package (only in combination with Mondial package)																						-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	-	-	-	-	28.00	
PSM84-24	PT MB Mondial Plus package (only in combination with Mondial package)																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	55.00	
PSM92-24	Profila T MB 696 Mondial S package (only in combination with Mondial Plus package)																						-	-	-	-	-	-	-	-	-	-	-	-	O	-	-	-	-	-	-	-	-	90.00	
PSM93-24	Profila T MB 726 Mondial S package (only in combination with Mondial Plus package)																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	-	-	-	-	-	-	90.00	
PLU43-24	Contura Luminary Plus package (only in combination with Luminary package)																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	-3.00	
2867-24	Driving Assistance package MB CT																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	1.00	
2868-24	Driving Assistance package MB PT																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	-	0.00
2878-24	Fiat Driving assistance package																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-	1.00
2879-24	Fiat driving assistance plus package (only in combination with driving assistance package)																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-	0.00
<b>CHASSIS OPTION – ENGINE</b>																																													
2112-24	180 HP Fiat motor (SC 140)																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	20.00	
2121-24	170 HP Mercedes-Benz motor																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	0.00	
2123-24	150 HP Mercedes-Benz motor																						-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S	-	-	-	0.00	
2160-24	140 HP Fiat motor																						S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	-	-	-	-	0.00	
<b>CHASSIS OPTION – SUPERIMPOSED LOAD</b>																																													
2324-24	Increase of tot. mass to 3.65t																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	0.00	
2329-24	Increase of tot. mass to 4.5 t																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	15.00	
2330-24	Red of tot. mass to 3.5 t																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	0.00	
2358-24	Reinforced front axle springs																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	0.00	
3111-24	Heavy-duty																						O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	S	S	S	S	-	-	0.00	
<b>CHASSIS OPTION – OTHER OPTIONS</b>																																													
2131-24	Automatic transmission Fiat																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	18.00	
2132-24	9G-Tronic automatic transmission Mercedes-Benz																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	30.00	
2252-24	Tyre air pressure sensors																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	0.00	
2311-24	Maxi chassis 4.25t																						O	O	O	O	O	-	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	40.00	
2313-24	Maxi chassis 4.4t																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	40.00	
2351-24	Spare wheel (depending on floor plan)																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	45.00	
2371-24	Fuel tank, 90 litre																						O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	13.50	
2372-24	Fuel tank, 92 litre																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	51.00	

	PROFILAT												PROFILAS												PROFILA MERCEDES		CONTURA MERCEDES		Weight in kg																
	PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF																									
<b>EXTERIOR DESIGN – PAINTWORK</b>																																													
2421-24	Paintwork obsidian black																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	0.00		
2424-24	Uni black paintwork MB																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	0.00		
5451-24	Carbon external décor																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	2.00
<b>SUPERSTRUCTURE OPTION – EXTERIOR</b>																																													
2581-24	Superstructure door with central locking																						O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	S	S	S	S	-	-	1.50	
5111-24	Rear comfort supports																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	8.00	
5122-24	Trailer coupling																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	35.00	
5412-24	Multi-function socket																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	2.00	
5423-24	Underfloor camera for electrical tank emptying																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.00	
5441-24	External shower (cold/warm)																						O	O	O	O	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	1.00	
5512-24	Window in toilet room																						-	O	-	S	S	S	-	O	-	-	S	S	S	-	-	S	S	S	S	-	-	4.00	
5521-24	"Sunroof" panoramic glass roof																						O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	24.50	
5522-24	"Starlight Dome" panoramic roof with smart lift & soft close functions																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	30.00	
5523-24	Adjustable roof hood																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	12.60	
5524-24	"Sun Roof" panoramic roof window, insulated and adjustable																						-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	7.00	
5534-24	Electric roof fan																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	5.50	
5535-24	Tilting roof hood (Heki)																						O	O	O	O	O	O	-	-	-	-	-	-	O	O	O	O	-	-	-	-	-	23.00	
5550-24	2 additional service flaps																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.00	
5576-24	Mesh screen for the body door																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	5.00	
6656-24	Garage door service flap																						S	-	S	S	S	S	-	-	S	S	S	S	S	-	S	S	S	S	S	-	-	4.00	
<b>SUPERSTRUCTURE OPTION – INTERIOR</b>																																													
3541-24	Comfort seats																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	14.40	
3613-24	All-round insulation in the driver cab																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	5.00	
3616-24	Insulating double glazing																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.40	
3661-24	Insulated dividing curtain to the driver cab																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00	
3680-24	Driver cab dimming system																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	7.00	
3883-24	Integra/Contura on QB, DB bedspread																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.00	
3884-24	Integra/Contura on SB bedspread																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	2.00	
3885-24	Bedspread on QB/DB																						-	O	-	-	-	O	-	O	-	O	-	O	-	-	-	-	-	-	-	O	-	2.00	
3886-24	EB bedspread																						O	-	O	O	O	-	O	-	O	-	O	-	O	O	O	O	-	-	-	-	-	2.00	
6213-24	Rear mattress removed																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0.00	
6224-24	Additional bed for 2 people (conversion of seating group)																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	11.00	
6236-24	Electr. adjust. lift-up bed for 2 people																						-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	8.00	
6237-24	Manually adjustable lift-up bed																						-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S	S	O	O	39.00	
6354-24	Seat: Fifth seat																						-	O	O	O	-	-	-	O	O	O	O	-	-	-	-	-	-	-	-	-	-	13.00	
6356-24	4th seat on driver's side																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	26.00	
6430-24	Table with chrome-plated table base																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	2.00	
7812-24	Background lighting																						S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	8.00	
<b>SUPERSTRUCTURE OPTION – BIKE CARRIER</b>																																													
5143-24	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)																						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	9.40
5146-24	Bike carrier extension kit 4-way																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	2.00	
5147-24	Bike carrier for 2 bikes																						O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	13.00	
5148-24	Lowerable E-bike carrier																						O	O	O	O	O	-	O	O	O	O	O	O	-	O	O	O	O	-	-	-	-	16.00	

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.  
\*\*The terms and conditions of CG Car-Garantie Versicherungs-AG (CG Car-Garantie Versicherungs-A

# Low-profile / Special features

		PROFILAT				PROFILARS				PROFILA MERCEDES				CONTURA MERCEDES		Weight in kg						
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF		PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF
<b>SUPERSTRUCTURE OPTION – AWNINGS</b>																						
5243-24	4 m awning	O	O	O	-	-	-	-	O	O	O	-	-	-	-	O	O	-	-	-	-	33.00
5244-24	4.5 m awning	-	-	-	O	O	O	O	-	-	-	O	O	O	O	-	O	O	-	-	-	36.00
5245-24	5 m awning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	-	-	42.00
<b>SUPERSTRUCTURE OPTION – HEATING</b>																						
3617-24	Driver cab underfloor heating (heated floor mat/Alde htg.)	-	-	-	O	O	O	O	-	-	-	O	O	O	O	O	O	O	O	O	O	4.40
7220-24	Warm air heating	S	S	S	-	-	-	-	S	S	S	-	-	-	-	-	-	-	-	-	-	0.00
7224-24	Heat exchanger	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	5.00
7227-24	Hot water heating - Alde	-	-	-	S	S	S	S	-	-	-	S	S	S	S	S	S	S	S	S	S	15.00
7228-24	Combi 6 E heating	O	O	O	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-	1.00
7510-24	Autonomous E-bike charger	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	3.00
<b>SUPERSTRUCTURE OPTION – KITCHEN</b>																						
7230-24	Extractor hood	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	S	3.00
7238-24	Oven	-	O	-	O	O	O	O	O	-	O	O	O	O	O	-	O	O	O	O	O	15.00
7255-24	Large refrigerator	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	18.00
<b>SUPERSTRUCTURE OPTION – TECHNICAL SERVICES</b>																						
5221-24	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	35.00
5223-24	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	35.00
7321-24	Lithium battery (1x)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-13.00
7324-24	Lithium battery (2x)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	17.50
7327-24	2nd gel battery - 80 Ah	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	27.00
7341-24	Pre-cabing for solar power system	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.50
7512-24	External gas socket	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.00
7516-24	Dual-control CS with de-icer	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	S	1.00
7655-24	Waste water tank, insulated and heated	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	8.90
<b>SUPERSTRUCTURE OPTION – FABRICS</b>																						
6111-24	Driver cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	4.00
6113-24	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6132-24	"Dara" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6135-24	"Bergamo" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0.00
6136-24	"Pisa" upholstery fabric	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6137-24	"Leather beige" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	2.00
6138-24	"Leather grey" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	2.00
6153-24	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6192-24	"Maka" décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6193-24	"Lasca" décor	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6194-24	"Rana" décor	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6195-24	"Evono" décor	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0.00
<b>SUPERSTRUCTURE OPTION – MULTIMEDIA</b>																						
3215-24	Loudspeakers (2) in the superstructure	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	4.00
3230-24	MBUX with rear-view camera (SC c/t moniceiver)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	0.00
3231-24	MBUX with rear-view camera (SC c/t naviceiver)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	0.00
3237-24	Moniceiver with rear-view camera	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.00
3238-24	Naviceiver w. rear-view camera	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.

S = standard equipment  
P = optional package equipment

O = optional equipment at extra charge  
- = not possible

		PROFILAT				PROFILARS				PROFILA MERCEDES				CONTURA MERCEDES		Weight in kg						
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF		PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF
3239-24	MBUX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	1.00
3241-24	Sound system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	5.00
3439-24	Flat screen wall bracket in front area	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.20
3441-24	Flat screen wall bracket in rear area	-	-	-	-	-	-	-	O	-	-	-	-	-	-	O	-	-	-	O	-	1.20
3460-24	Flat screen pull-out in front area	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
<b>SUPERSTRUCTURE OPTION – OTHER OPTIONS</b>																						
6273-24	Carpeted floor in the superstructure	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	8.00
<b>SUPERSTRUCTURE OPTION – FURNITURE DÉCOR</b>																						
6475-24	"Chalet Rustico" furniture décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6480-24	"Navarra" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	0.00
6481-24	"Natural Vintage" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	0.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.  
\*\* The terms and conditions of CG Car-Garantie Versicherungs-AG (CG Car-Garantie Versicherungs-Aktiengesellschaft, Gündlinger Strasse 12, 79111 Freiburg in Breisgau, Germany) apply to the conclusion of a 1, 2 or 3 year follow-on guarantee.

# Try out and configure

Suitable for every taste. Which upholstery colour, which interior and which features meet your needs? Take a look around and configure your personal motorhome directly online.

## All information at a glance



Click here for more information on features, upholstery, interiors and more.



## Motorhome configurator



Click here to select one of our models and customise it in line with your personal preferences.



Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.





# INTEGRA LINE

**The perfect choice!** The Integra Line represents the ideal combination of lightweight technology, modern design and comfortable features. With its versatile range of layouts in the 7m class, it embodies a tailor-made premium motorhome with an excellent price-performance ratio, especially among the mid-size A-Class models.

## Feature highlights

- ▶ Automotive design
- ▶ "Short Cabin" visibility concept with short front section for extra wide field of vision
- ▶ Powerful LED main headlights (optional depending on equipment)
- ▶ LED rear lights
- ▶ Pilot's seats with arm rests and integrated seatbelts
- ▶ Electrically adjustable bus mirrors, heated
- ▶ Lift-up bed 193x 150cm in the driver's cab with 78cm headroom
- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Convenient bed access thanks to wide, lowerable lift-up bed
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ ALDE hot water heating
- ▶ Dashboard and door trims in carbon look
- ▶ Background lighting
- ▶ 16" wheels
- ▶ ESP including Traction+ and hill descent control
- ▶ Mini Heki skylight over front section and rear bed
- ▶ Reading lights and orientation light in the driver's cab
- ▶ Noise-insulated window roller blinds
- ▶ Illuminated entrance area with storage facilities
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Sink cover with 2-part chopping board (depending on floor plan)
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB ports for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall



# INTEGRA LINE

## Integra Line / Floor plans

## Integra Line / Feature packages



### IL 695 LF

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Large double-door wardrobe across the entire width of the vehicle at the rear
- + Wardrobe doors conveniently swivel to the walkway
- + Bicycle garage in the rear
- + Bathroom with separate shower and room divider door to the front part of the vehicle
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + TV pull-out on kitchen wall
- + Kitchen with retractable tap and foldable worktop extension



### IL 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



### IL 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension



### IL 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + 2 wardrobes
- + Large rear garage thanks to height-adjustable bed
- + Rear bathroom with separate shower
- + Washroom variably closable on both sides with sliding doors



### IL 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom and dressing room separated from living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Kitchen with retractable tap and foldable worktop extension

## Optional feature packages

### Mondial package

#### OPTIONAL FOR: INTEGRA LINE

Moniceiver (Xzent)	Electric roof fan
Rear-view camera (single)	Mesh door screen
Steering wheel controls	Pre-cabling for solar power system
Electric parking brake	
Heki skylight roof hood	
Body door with 2-point locking and central locking system	

### Mondial Plus package

#### OPTIONAL FOR: INTEGRA LINE

Moniceiver (Xzent)	Heavy-duty
Rear-view camera (single)	Maxi chassis instead of 3.5t
Steering wheel controls	Automatic air conditioning
Electric parking brake	Leather steering wheel and gearshift knob
Heki skylight roof hood	Inductive charging station
Body door with 2-point locking and central locking system	Multi-function exterior socket
Electric roof fan	External shower (cold/warm)
Mesh door screen	External gas socket on passenger side
Pre-cabling for solar power system	Heat exchanger
Naviceiver with twin-eye rear-view camera	Windscreen wiper system with winter parking position
Twin-eye rear-view camera	Heat-insulating double glazing in the side windows
90-litre fuel tank add-on	Elect. front blind blinds for windscreen
16" aluminium rims	Lithium battery
Carpet in the driver's cab	
180 HP motor	



# Integra Line / Technical specifications



IL 695 LF



IL 720 EB



IL 720 EF



IL 720 QF



IL 730 EF

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

## DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11	11	11
Load capacity in the rear storage area	l	2000	3000	3000	1500	1700
Size of storage door at the rear	cm	85 x 105	80 x 115	80 x 115	80 x 115	85 x 55
Wheelbase	m	4.04	4.04	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)
Weight in ready-to-drive state <sup>1)</sup>	kg	3,100 // 3,140 (optional)	3,180 // 3,220 (optional)	3,180 // 3,220 (optional)	3,250 // 3,290 (optional)	3,240 // 3,280 (optional)
Weight in ready-to-drive state Mondial <sup>1)</sup>	kg	3,130 // 3,170 (optional)	3,210 // 3,250 (optional)	3,210 // 3,250 (optional)	3,280 // 3,320 (optional)	3,270 // 3,310 (optional)
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	7.41	7.41	7.57	7.57
Total width	m	2.32	2.32	2.32	2.32	2.32
Overall height	m	2.88	2.88	2.88	2.88	2.88
Interior width	m	2.17	2.17	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78	78	78
Dimensions of front side seating group	cm	160 x 65	115 x 105	100 x 65	100 x 65	100 x 65
Bed conversion of the seating group <sup>3)</sup>	cm	200 x 115	200 x 115	200 x 100	200 x 100	200 x 100
Dimensions of rear bed	cm	-	2 x 203 x 84	2 x 203 x 83	190 x 147	200 x 75, 197 x 75
Dimensions of lift-up bed	cm	193 x 150	193 x 150	193 x 150	193 x 150	193 x 150
Dimensions of longitudinal bench or rear seating group	cm	115 x 65	55 x 65	100 x 65	100 x 65	100 x 65
Sleeping areas		4	4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
Permissible number of people <sup>4)</sup>		4	3 (4) (5) optional	3 (4) optional	2 (3) (4) (optional)	3 (4) optional
Permissible number of people Mondial <sup>4)</sup>		4	3 (4) (5) optional	3 (4) optional	2 (3) (4) (optional)	2 (3) (4) (optional)
3-point seatbelts total		4	4	4	4	2
Number of Isofix		2	1	2	2	2
Framed window with mesh screen		4	4	4	4	4
Number of service flaps		2	2	2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	138 (25)* /100	140 (25)* /100	138 (25)* /100	138 (25)* /100	138 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	142	142	142

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | <sup>2)</sup> Note the weight of the vehicle/trailer combination | <sup>3)</sup> Not in combination with 6430 table with chrome table base or 6470 wardrobe instead of single seat | <sup>4)</sup> Numbers in brackets only in combination with 2324\* superimposed load to 3.65 t\* or 2313 Maxi chassis (number in second bracket) | \* Water quantity in drive position 25 l. If there is sufficient remaining load, the water tank indicated as having a capacity of 25 l can be filled to its actual capacity of 140 l.

**Eura Mobil**  
Sealed Structure



### More information

Click here for more information on floor plans, upholstery, interiors and more.



Find an authorised  
Eura Mobil dealer near you!



# INTEGRA

## A statement for more beautiful living.

The Integra is the luxury A-Class model with modern comfort and safety features that meet the highest demands in interior ambience and functionality. Long-term travellers and globetrotters in particular will find the Integra, with its excellent year-round features, the perfect mobile home.

## Feature highlights

- ▶ Full LED headlights
- ▶ LED indicators with direction-indicating running light (rear)
- ▶ Single-piece fully moulded rear
- ▶ LED rear lights
- ▶ Automotive design with RIM components and galvanic chrome-plated elements
- ▶ Professional kitchen, with 9 drawers, ergonomically shaped with full features
- ▶ Spacious bathroom with rain shower and spa atmosphere
- ▶ Shower wall with slate look, wall heating and illuminated reed grass inlay
- ▶ Luxury bedroom with illuminated ceiling and chrome look appliques
- ▶ Living space features exclusive lounge ambience
- ▶ Electrically controlled front blinds
- ▶ Electrically controlled lift-up bed
- ▶ 19.5 cm high heated double floor
- ▶ Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- ▶ AL-KO low-frame chassis with up to 5.5 t permissible total weight
- ▶ ALDE hot water heating
- ▶ Lounge sofa with back cushions, bolster and seat chest trim
- ▶ 153-litre refrigerator with 29-litre freezer compartment
- ▶ Kitchen surface made of mineral material with two-part chopping board as sink cover
- ▶ Electric lift for coffee maker in lowerable glass display case
- ▶ Fresh and waste water tank frost-protected in heated double floor
- ▶ Drainage valves, insulated and heated in the central service compartment
- ▶ Electrically controlled waste water tank drainage
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Heavy-duty 140 HP Euro 6 motor
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ Dashboard and door trims in carbon look
- ▶ Electrically adjustable bus mirrors, heated
- ▶ Background lighting



# INTEGRA



## Integra / Floor plans



### I 760 EF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable water tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### I 760 QF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with doors
- + Kitchen with retractable tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### I 890 EB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed professional kitchen with 153-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



### I 890 QB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Washroom as separate dressing room variably closable on both sides with doors
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench

## Integra / Feature packages

### Optional feature packages

#### Luminary package

##### OPTIONAL FOR: INTEGRA

Driver's cab comfort seats (Integra)	LED fog light
Navigation system	TV pull-out in the front
Twin-eye rear-view camera	TV wall bracket in the rear
Steering wheel controls	Organisation system for the rear garage
Pre-cabling for solar power system	Sound system
Carpet in the driver's cab	Automatic air conditioning
Automatic transmission	Leather steering wheel and gearshift knob
16" aluminium rims	Inductive charging station
Carbon exterior design	Heat exchanger
Chrome elements at the front & rear	
LED turning light	

#### Luminary Plus package

##### OPTIONAL FOR: INTEGRA

Driver's cab comfort seats (Integra)	Automatic air conditioning
Navigation system	Leather steering wheel and gearshift knob
Twin-eye rear-view camera	Inductive charging station
Steering wheel controls	Heat exchanger
Pre-cabling for solar power system	Multi-function exterior socket
Carpet in the driver's cab	External shower (cold/warm)
Automatic transmission	External gas socket on passenger side
16" aluminium rims	Windscreen wiper system with winter parking position
Carbon exterior design	Heat-insulating double glazing in the side windows
Chrome elements at the front & rear	Lithium battery
LED turning light	6 m mechanical canopy
LED fog light	Heatable windscreen
TV pull-out in the front	Underfloor camera for electrical tank emptying
TV wall bracket in the rear	
Organisation system for the rear garage	
Sound system	



#### More information

Click here for more information on floor plans, upholstery, interiors and more.



# Integra / Technical specifications



**I 760 EF**      **I 760 QF**      **I 890 EB**      **I 890 QB**

BASIC VEHICLE	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi
Euro 6 heavy-duty engine	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axis / 3-axis (optional)
Fuel tank	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue

## DIMENSIONS AND WEIGHTS

Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	3000	1700	3000	1700
Size of storage door at the rear	cm	2 x 115 x 85	2 x 105 x 80	2 x 85 x 115	2 x 85 x 105
Wheelbase	m	4.45 // 4.04 + 0.8 (optional)	4.45 // 4.04 + 0.8 (optional)	4.5 + 0.8	4.5 + 0.8
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,500 / 5,500	4,500 / 5,500	5500	5500
Weight in ready-to-drive state <sup>1)</sup>	kg	3,625 / 3,760	3,625 / 3,760	4100	4100
Weight in ready-to-drive state Luminary Edition <sup>1)</sup>	kg	3,710 / 3,845	3,710 / 3,845	4185	4185
Trailer weight, braked <sup>2)</sup>	kg	1,890 / 1,600	1,890 / 1,600	1600	1600
Total length	m	7.89	7.89	8.99	8.99
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78	78
Dimensions of front side seating group	cm	115 x 65	115 x 65	160 x 105	160 x 105
Bed conversion of the seating group	cm	190 x 100	190 x 100	130 x 200	130 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 150	195 x 80 / 200 x 80	195 x 150
Dimensions of lift-up bed	cm	150 x 193	150 x 193	150 x 193	150 x 193
Dimensions of longitudinal bench or rear seating group	cm	100 x 60	100 x 60	135 x 65	135 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
Permissible number of people		4	4	4 (5) optional	4 (5) optional
3-point seatbelts total		4	4	4	4
Framed window with mesh screen		4	4	4	4
Number of service flaps		4	4	4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	177	177	153	153

<sup>1)</sup> Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features <sup>2)</sup> Note the weight of the vehicle/trailer combination <sup>3)</sup> Not in conjunction with OE 6470 wardrobe instead of single seat\* only with belts facing away from the direction of travel \*\* Only with seat belts facing away from the direction of travel and 40 H chassis \*\*\* Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25l can be filled to its actual capacity of 140l \*\*\*\* Only in conjunction with 40 H chassis

# A-Class / Standard equipment

S = Standard O = Optional  
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA
<b>CHASSIS</b>		
140 HP, Euro 6d Final	S	-
Heavy-duty 140 HP Euro 6 engine	-	S
CCS wide track low-slung frame (1,980 mm gauge) with frame extension	S	-
AL-KO low-slung frame chassis	-	S
ABS	S	S
Driver / passenger airbag	S	S
Manual air conditioning	S	S
ESP including Traction+ and hill descent control	S	S
Cruise control	S	S
16" wheels	S	S
Fix & Go breakdown kit	S	S
Daytime running light	S	-
LED daytime driving light	P	S
LED headlights	P	S
LED dipped beam	P	S
LED tail lights	S	S
LED indicators with direction-indicating running light (rear)	-	S
<b>DRIVER'S CAB</b>		
Driver cab seat in structured upholstered fabric	S	S
Front mask made from moulded GRP piece	S	S
Exclusive lamp unit with integrated indicator	S	S
Panoramic windscreen (for wide field of vision)	S	S
Eura Mobil "Short Cabin"	S	S
Short front section with integrated original Fiat crash protection	S	S
Short dashboard with wide viewing angle to the front	S	S
Wide-opening, narrow bonnet with direct access to windscreen wash and oil top-up nozzles	S	S
Electrically adjustable bus mirrors, heated	S	S
Dashboard and door trims in carbon look	-	S
Lift-up bed with 78 cm seat height	S	S
Electrically controlled lift-up bed	O	S
Storage closets under the lift-up bed	S	S
Ambient lighting below the lift-up bed	S	S
Mini Heki skylight over lift-up bed	S	S
Driver's door with large storage compartments	S	S
Electric control panel within easy reach in the covered compartment on the passenger side	S	-
Electric window raiser for the driver's door	S	S
Extensive noise insulation	S	S
Driver's cab with automotive design	S	S
GRP front mask with headlight housings in RIM technology	S	S
Navigation lights behind windscreen	-	S
Lowered radiator bridge for easy access to the engine compartment	S	S
Bonnet with gas spring assistance	S	S
Diffuser elements in black gel coat integrated into single-piece front mask	-	S
Moulded parts under the lift-up bed for smooth optical transition to the living area	-	S
Pilot's seats with arm rests and integrated seatbelts	S	S
Driver's cab door with double locking and central remote locking	S	S
Sliding windows for passenger side	S	S
Concertina darkening system for driver's cab	S	S
Electrically controlled front blinds	O	S
Sun visors with steplessly adjustable roller blinds, integrated into the headlining	-	S

	INTEGRA LINE	INTEGRA
Card compartment with handy flap cover on the passenger side	S	S
Reading lights and orientation light in the driver's cab	S	S
<b>SUPERSTRUCTURE</b>		
Lightweight construction double floor throughout, insulated and heated	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S
Lightweight construction floor plate with aluminium inlay	S	S
Insulated wheel arches	S	S
Wood-free GRP walls	S	S
Double floor GRP-coated	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S
Isofix, 2 x in driving direction	S (EF + QF models)	-
Isofix, 1 x in driving direction	S (except EF / QF models)	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S
Sturdy chassis side skirts made from aluminium	S	S
Electrically actuated step	-	S
Integrated double access step, insulated	S	-
Alde hot water heating	S	S
Duo control with remote display, de-icer and crash sensor	P	S
Service flaps with double seal, insulated inlay and self-closing locks	S	S
Extra-wide access door with window and waste bin	S	S
Wall units with aluminium profile reinforcement	S	S
Warm air circulation in double floor for underfloor heating effect	S	S
Exterior lighting over body door	S	S
Fresh and waste water tank in heated and insulated floor trough	S	-
Fresh and waste water tank in heated double floor	-	S
GRP rear wall with three-dimensional curving	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	S	S
Additional, lowered side and floor storage compartments (depending on floor plan)	S	S
Extra-wide access door with window and waste bin	S	S
Lightweight upper floor	S	S
Double-moulded GRP sandwich roof	S	S
Garage lowering system with insulated well	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	-	S
Central service compartment with access to the water drainage taps	-	S
Additional, lowered side and floor storage compartments (depending on floor plan)	-	S
Garage doors on the driver and passenger side	S	S
Rear storage spaces with anchor bars, straps and storage boxes	-	S
Anti-slip surface on garage floor	S	S
Mesh screen for the body door	P	S
Heki skylight roof hood over seating group	P	S
Mini Heki skylight over rear bed	S	S
Mini Heki skylight over front section	S	S
Insulated Seitz framed window with mesh screen flush with the external wall	S	S
Window roller blinds with noise insulation	S	S
Carpeted floor in the superstructure	O	S
Garage lowering system with insulated well	S	S





## A-Class / Standard equipment

S = Standard O = Optional  
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA		INTEGRA LINE	INTEGRA
<b>LIVING SPACE</b>			<b>WASHROOM</b>		
"Chalet" interior	S	-	Separate shower on the IL 695 LF, IL 720 QF, IL 730 EF, IL 720 EB and IL 720 QB models	S	-
Navarra interior	-	S	Storage closet and mirror	S	-
Upholstered fabric: Como or Dara	S	S	Cassette toilet with large roller-mounted tank	S	S
Table with 360° turning and sliding fixture	S	-	230 V power sockets	S	S
Double-pedestal table (on I 890 EB and I 890 QB) with chrome-plated table legs and marble-look tabletop	-	S	Bathroom with separate shower cubicle on IL 720 EF, QF, I 760 EF, I 760 QF, I 890 EB and I 890 QB	S	S
Living space with decorative elements (and wall pockets)	S	S	Variable-use centre washroom with integrated shower and swivel washbasin on IL 650 HS, IL 660 EB, IL 695 EB, IL 695 HB	S	S
7-zone cold foam mattresses	S	S	Comfort rain shower with back-lit shower column (depending on floor plan)	S	S
Stable slatted frames, with underneath ventilation	S	S	Shower wall with slate look, wall heating and illuminated reed grass inlay	-	S
Wall unit doors with solid spring closures	-	S	Toilet room with mirrored cabinet and base unit	S	S
Noise insulation for wall unit doors	S	S	Window in toilet room (layout-dependent)	O	S
Background lighting	S	S	Washbasin made from mineral material	-	S
Central control panel unit behind cover plate above entrance door	-	S	Door to sleeping area on IL 720, 730, Integra	S	S
Wall units with high-gloss coating and chrome appliqué	-	S	<b>WATER INSTALLATION</b>		
Wall units with storage compartments, indirect illumination and rear ventilation	-	S	Fresh water system made from Hartflex plastic	S	S
Wall unit profile made from aluminium with integrated stop attenuation for furniture doors	S	S	Fixed pipe system for service water / waste water	S	S
Entrance area with illuminated handle and handy storage compartments	-	S	140 l insulated and heated fresh water tank in the double floor*	S	-
Wine cabinet with glass and wine bottle holders	-	S	150 l insulated and heated fresh water tank in the double floor*	S	-
Shoe compartment in the entrance area	-	S	2 drainage valves for fresh water system	S	-
Compartment shelves in the upper floor with access from the interior	S	S	Drainage valves insulated and heated in the central service compartment	-	S
Lounge sofa with back cushions and seat box cover	-	S	100 l waste water tank in insulated and heated floor trough	S	-
High-quality multi-zone upholstery for living room seats	-	S	100 l insulated and heated waste water tank in the double floor	-	S
High-quality headrests and neck padding on the seats with belts	-	S	Electrically operated waste water tank emptying at the push of a button	S	S
Bed headboard with chrome appliqués and ambient lighting	-	S	Fittings with ceramic cartridges	S	S
Rear bed in all QB models, height-adjustable	P	S	Siphons to prevent odours	S	S
<b>KITCHEN</b>			<b>ELECTRICAL INSTALLATION</b>		
138 l to 153 l refrigerator (depending on floor plan)	S	-	Electrical distributor panel easily accessible in the cover on the passenger seat	S	-
153/177 l refrigerator with 29/35 l freezer compartment	-	S	80 Ah gel battery	S	S
3-burner hob with electric ignition, glass cover and large work surface	S	-	On-board control panel with separate displays for water, battery and charging voltage	S	S
Worktop-mounted 3-burner hob with two-part glass cover	-	S (1890 EB/QB)	LED reading spotlights with real glass	S	S
Drawers with metal roller runners	S	S	Light switch system with household logic system	S	S
Extra-wide drawers with self-closing mechanism and soft-stop	S	-	LED ceiling light	S	-
7 pull-outs with self-closing mechanism and soft stop	-	S	Number of 230 V power sockets: 3	S	S
Water tap with rotating non-drip outlet	S	-	Number of 12 V power sockets: 1	S	S
Chrome-plated tap with spring arm	-	S	21 A charger	S	S
Ergonomically shaped kitchen block	S	S	LED ambient lighting, dimmable and programmable	-	S
Worktop with indirect illumination for pull-outs	-	S	LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	S
Oven	O	S	USB charging ports in the living room and bedroom	S	S
Extractor hood	O	S	TV preparation	S	S
Stainless steel sink with two-part chopping board as sink cover	-	S			
Illuminated storage compartments with slate look	-	S			
Electric lift for coffee maker in lowerable glass display case	-	S			
Pull-out cloakroom at the transition to the washroom (depending on floor plan)	-	S			
Door with reed grass inlay	-	S			

\* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l

## A-Class / Special features

S = Standard O = Optional  
P = Package contents - = Not possible

		INTEGRA LINE	INTEGRA	
<b>PACKAGE - FITTINGS PACKAGES</b>				
PLU36-24	Integra 890 Luminary package	-	-	85.00
PLU37-24	Integra 760 2-axle Luminary package	-	-	82.00
PLU38-24	Integra 760 3-axle Luminary package	-	-	82.00
PLU39-24	Integra 890 Luminary Plus package (only in combination with Luminary package)	-	-	72.00
PLU40-24	I760 2-axle Luminary Plus package (only in combination with Luminary package)	-	-	68.00
PLU41-24	I760 3-axle Luminary Plus package (only in combination with Luminary package)	-	-	68.00
PSM79-24	Integra Line Mondial package	O	O	30.00
PSM85-24	IL Mondial Plus package (only in combination with Mondial package)	O	O	134.00
2830-24	Exclusive design package	O	O	1.00
2834-24	Exclusive rear design	O	O	0.10
<b>CHASSIS OPTION – ENGINE</b>				
2112-24	180 HP Fiat motor (SC 140)	O	O	20.00
2116-24	180 HP Fiat motor	-	-	20.00
2160-24	140 HP Fiat motor	S	S	0.00
<b>CHASSIS OPTION – SUPERIMPOSED LOAD</b>				
2324-24	Increase of tot. mass to 3.65t	O	O	0.00
2330-24	Red of tot. mass to 3.5 t	O	O	0.00
2358-24	Reinforced front axle springs	O	O	0.00
3111-24	Heavy-duty	O	O	0.00
<b>CHASSIS OPTION – OTHER OPTIONS</b>				
2131-24	Automatic transmission Fiat	O	O	18.00
2252-24	Tyre air pressure sensors	O	O	0.00
2311-24	Maxi chassis 4.25t	O	O	40.00
2313-24	Maxi chassis 4.4t	O	O	40.00
2351-24	Spare wheel (depending on floor plan)	O	O	45.00
2357-24	Full air suspension 3-axle model, 5.5 t permissible total weight	-	-	110.00
2360-24	2-axle full air suspension	-	-	80.00
2361-24	3-axle instead of 2-axle	-	-	150.00
2371-24	Fuel tank, 90 litre	O	O	13.50
2372-24	Fuel tank, 92 litre	-	-	51.00
2590-24	Heated windscreen	-	-	1.00
2593-24	Windscreen wiper system with winter parking position	O	O	0.00
<b>EXTERIOR DESIGN – PAINTWORK</b>				
5451-24	Carbon external décor	-	-	2.00
<b>SUPERSTRUCTURE OPTION – EXTERIOR</b>				
2581-24	Superstructure door with central locking	O	O	1.50
5111-24	Rear comfort supports	O	O	8.00
5112-24	ALKO support system	-	-	72.00
5122-24	Trailer coupling	O	O	35.00
5412-24	Multi-function socket	O	O	2.00
5423-24	Underfloor camera for electrical tank emptying	-	-	1.00
5441-24	External shower (cold/warm)	O	O	1.00

INTEGRA LINE INTEGRA  
IL 695 LF IL 720 EB IL 720 EF IL 720 QF IL 730 EF I 760 EF I 760 QF I 890 EB I 890 QB Weight in kg

# A-Class / Special features

S = Standard O = Optional  
P = Package contents - = Not possible

		INTEGRA LINE				INTEGRA				Weight in kg	
		IL 695 LF	IL 720 EB	IL 720 EF	IL 720 QF	IL 780 EF	I 760 EF	I 760 QF	I 890 EB		I 890 QB
5512-24	Window in toilet room	O	O	O	O	-	S	S	S	S	4.00
5534-24	Electric roof fan	O	O	O	O	O	S	S	S	S	5.50
5535-24	Tilting roof hood (Heki)	O	O	O	O	O	S	S	S	S	23.00
5576-24	Mesh screen for the body door	O	O	O	O	O	S	S	S	S	5.00
6656-24	Garage door service flap	S	S	S	S	S	S	S	S	S	4.00
<b>SUPERSTRUCTURE OPTION – INTERIOR</b>											
3541-24	Comfort seats	O	O	O	O	O	O	O	O	O	14.40
3611-24	Driver cab floor insul. mat	O	O	O	O	O	O	O	O	O	1.60
3616-24	Insulating double glazing	O	O	O	O	O	-	O	O	O	12.40
3680-24	Driver cab dimming system	S	S	S	S	S	-	-	-	-	7.00
3883-24	Integra/Contura on QB, DB bedspread	-	-	-	-	-	O	-	O	-	2.00
3884-24	Integra/Contura on SB bedspread	-	-	-	-	-	O	-	O	-	2.00
3885-24	Bedspread on QB/DB	-	-	-	O	-	-	-	-	-	2.00
3886-24	EB bedspread	-	O	O	-	O	-	-	-	-	2.00
6213-24	Rear mattress removed	-	O	O	O	O	O	O	O	O	0.00
6224-24	Additional bed for 2 people (conversion of seating group)	O	O	O	O	O	O	O	O	O	11.00
6236-24	Electr. adjust. lift-up bed for 2 people	O	O	O	O	O	S	S	S	S	8.00
6237-24	Manually adjustable lift-up bed	S	S	S	S	S	-	-	-	-	39.00
6354-24	Seat: Fifth seat	-	O	-	-	-	-	O	O	-	13.00
6430-24	Table with chrome-plated table base	-	-	-	-	-	S	S	S	S	2.00
6431-24	Storage cabinets instead of lift-up bed	O	O	O	O	O	O	O	O	O	-8.00
6657-24	Organisation system for the rear garage	-	-	-	-	-	O	O	O	O	4.80
7812-24	Background lighting	S	S	S	S	S	S	S	S	S	8.00
<b>SUPERSTRUCTURE OPTION – BIKE CARRIER</b>											
5143-24	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	O	O	O	O	9.40
5146-24	Bike carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	2.00
5147-24	Bike carrier for 2 bikes	O	O	O	O	O	-	-	-	-	13.00
5148-24	Lowerable E-bike carrier	O	O	O	O	-	-	-	-	-	16.00
<b>SUPERSTRUCTURE OPTION – AWNINGS</b>											
5244-24	4.5 m awning	O	-	-	-	-	-	-	-	-	36.00
5245-24	5 m awning	-	O	O	O	O	-	-	-	-	42.00
5246-24	5.5 m awning	-	-	-	-	-	O	O	-	-	62.70
5250-24	6 m awning	-	-	-	-	-	-	-	O	O	66.70
<b>SUPERSTRUCTURE OPTION – HEATING</b>											
3617-24	Driver cab underfloor heating (heated floor mat/Alde htg.)	O	O	O	O	O	O	O	O	O	4.40
7224-24	Heat exchanger	O	O	O	O	O	O	O	O	O	5.00
7227-24	Hot water heating - Alde	S	S	S	S	S	S	S	S	S	15.00
7510-24	Autonomous E-bike charger	O	O	O	O	O	O	O	O	O	3.00
<b>SUPERSTRUCTURE OPTION – KITCHEN</b>											
7230-24	Extractor hood	O	O	O	O	O	S	S	S	S	3.00
7238-24	Oven	O	O	O	O	O	S	S	S	S	15.00
7255-24	Large refrigerator	S	S	S	S	S	S	S	S	S	18.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.

S = standard equipment O = optional equipment at extra charge  
P = optional package equipment - = not possible

		INTEGRA LINE				INTEGRA				Weight in kg	
		IL 695 LF	IL 720 EB	IL 720 EF	IL 720 QF	IL 780 EF	I 760 EF	I 760 QF	I 890 EB		I 890 QB
<b>SUPERSTRUCTURE OPTION – TECHNICAL SERVICES</b>											
5221-24	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	O	35.00
5223-24	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	O	O	O	O	O	-	-	-	-	35.00
7321-24	Lithium battery (1x)	O	O	O	O	O	O	O	O	O	-13.00
7324-24	Lithium battery (2x)	O	O	O	O	O	O	O	O	O	17.50
7327-24	2nd gel battery - 80 Ah	O	O	O	O	O	O	O	O	O	27.00
7341-24	Pre-cabling for solar power system	O	O	O	O	O	O	O	O	O	1.50
7512-24	External gas socket	O	O	O	O	O	O	O	O	O	1.00
7516-24	Dual-control CS with de-icer	O	O	O	O	O	S	S	S	S	1.00
7655-24	Waste water tank, insulated and heated	S	S	S	S	S	-	-	-	-	8.90
<b>SUPERSTRUCTURE OPTION – FABRICS</b>											
6111-24	Driver cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	4.00
6113-24	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	O	0.00
6132-24	"Dara" upholstery fabric	O	O	O	O	O	O	O	O	O	0.00
6136-24	"Pisa" upholstery fabric	O	O	O	O	O	O	O	O	O	0.00
6137-24	"Leather beige" upholstery fabric	-	-	-	-	-	O	O	O	O	2.00
6138-24	"Leather grey" upholstery fabric	-	-	-	-	-	O	O	O	O	2.00
6153-24	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	0.00
6192-24	"Maka" décor	S	S	S	S	S	S	S	S	S	0.00
6193-24	"Lasca" décor	O	O	O	O	O	O	O	O	O	0.00
6194-24	"Rana" décor	O	O	O	O	O	O	O	O	O	0.00
<b>SUPERSTRUCTURE OPTION – MULTIMEDIA</b>											
3215-24	Loudspeakers (2) in the superstructure	O	O	O	O	O	-	-	-	-	4.00
3237-24	Moniceiver with rear-view camera	O	O	O	O	O	O	O	O	O	1.00
3238-24	Naviceiver w. rear-view camera	O	O	O	O	O	O	O	O	O	1.00
3241-24	Sound system	-	-	-	-	-	O	O	O	O	5.00
3439-24	Flat screen wall bracket in front area	O	O	O	O	O	O	O	-	-	1.20
3441-24	Flat screen wall bracket in rear area	-	-	-	-	O	O	O	O	O	1.20
3460-24	Flat screen pull-out in front area	-	-	-	-	-	-	-	O	O	4.00
<b>SUPERSTRUCTURE OPTION – OTHER OPTIONS</b>											
3681-24	Elect. front blind	O	O	O	O	O	S	S	S	S	6.70
6273-24	Carpeted floor in the superstructure	O	O	O	O	O	S	S	S	S	8.00
<b>SUPERSTRUCTURE OPTION – FURNITURE DÉCOR</b>											
6475-24	"Chalet" furniture décor	S	S	S	S	S	-	-	-	-	0.00
6480-24	"Navarra" furniture décor	-	-	-	-	-	S	S	S	S	0.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.





# EURA MOBIL

## Your Quality Time.



All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH.

The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery. All weights quoted are values with a fluctuation limit of +/- 5 per cent.

Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Please ask your Eura Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features. The publication of this brochure renders all previous catalogues invalid.

### General information regarding the weight situation in motor homes

Special features (additional features) increase the weight in the vehicle's ready-to-drive state and reduce the cargo capacity. The weight of the additional equipment is detailed in our brochure information or your dealer / seller can tell you. The maximum number of persons permitted depends on the weight and axle load. It can be reduced if special features (= special equipment / additional equipment) and accessories are installed, so in the interests of cargo loading capacity certain seats cannot be used. If all seats are to be used, some cargo capacity may need to be foregone. The technically permissible overall weight and axle loads must not be exceeded.

The cargo loading capacity reduces with the installation of special features (= special equipment / additional equipment) and accessories. The cargo loading capacity is also not only dependent on the weight in the vehicle's ready-to-drive state, the actual vehicle weight, the weight of the accessories and the technical permissible overall weight, but also on the respective axle loads. The only way to achieve the highest possible payload supported by the vehicle's technology is to have a corresponding, axle-load-dependent load distribution.

Unless otherwise regulated, weight in ready-to-drive state as per Article 2 (4a) Regulation (EU) 1230/2012 is defined as:

Vehicle dimensions with standard equipment according to manufacturer specifications (incl. vehicle tool kit + charging cable for superstructure battery)

+ fuel tank filled to 90%

+ 75 kg (weight of the driver)

+ fluid gas bottle (filling capacity of 11 kg) made of aluminium filled to 100% (equals 18 kg in total)

+ Fresh water tank filled to 100% in drive position (capacity of the fresh water tank is limited to 25 litres of fresh water in ready-to-drive state, where technically feasible\*)

= Weight in ready-to-drive state

\* marked capacity of the fresh water tank pursuant to appendix V. Part A (2.6 Fn). (h) Regulation (EU) 1230/2012 is limited according to vehicle model to 25 litres by an overflow valve (recommended filling for driving)

The technically permissible overall weight according to Article 2 (7) Regulation (EU) 1230/2012 is defined as:

The vehicle's maximum weight when loaded as provided by the manufacturer.

Pursuant to the information provided in the catalogue, the maximum cargo loading capacity is defined as:

Technically permissible overall weight - weight in ready-to-drive state = maximum cargo loading capacity.

© Eura Mobil GmbH 2024

Reprints, including excerpts thereof, are only permitted with the written consent of Eura Mobil GmbH.

Updated January 2024 PEM-2024-002 GB\_INT Print Tech. Dat. EM 2024 GB\_INT

Eura Mobil GmbH - Kreuznacher Strasse 78 55576 Sprendlingen (Rheinhessen)

Tel. +49 6701 / 203 200 - Fax +49 6701 / 203 210 - [info@euramobil.de](mailto:info@euramobil.de) - [www.euramobil.de](http://www.euramobil.de)



**Find an authorised  
Eura Mobil dealer near you!**